

Colorado Mills

High Energy Creep 18 + R40

MEDICATED

For growing cattle on pasture or in dry lot.

ACTIVE DRUG INGREDIENT

MONENSIN 40g/ton (20 mg/lb)

For increased rate of weight gain.

Crude Protein	min	18%
Crude Fat	min	4.75%
Crude Fiber	max	20%
Calcium	min	0.90%
Calcium	max	1.25%
Phosphorus	min	0.50%
Salt	min	0.40%
Salt	max	0.70%
Potassium	min	0.75%
Vitamin A	min	5700 IU/lb

INGREDIENT STATEMENT

Processed Grain By-Products, Plant Protein Products, Roughage Products, Calcium Carbonate, Salt, Yeast Culture, Propionic acid (as preservative), Vitamin A Supplement, Vitamin E Supplement, Ferrous Sulfate, Zinc Sulfate, Copper Sulfate, Sodium Selenite, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Copper Chloride, Ethylenediamine Dihydriodide, Cobalt Carbonate, Copper Amino Acid Complex, Zinc Amino Acid Complex, Vitamin D3 Supplement, and Calcium Iodate.

FEEDING DIRECTIONS:

For the first 5 days, feed at the rate of 2.5 to 5 lbs per head per day to provide 50 to 100 milligrams of Monensin.

After 5 days can feed up to 10 lbs per head per day. Not to exceed 10 lbs per head per day. Do not self feed. A roughage source or pasture should be available. Provide plenty of fresh, clean water at all times.

CAUTION: Do not allow horses or other equines access to feeds containing Monensin. Ingestion of Monensin by equines has been fatal. Monensin medicated cattle feed is safe for use in cattle only. Do not exceed the levels of Monensin recommended by the feeding directions, as reduced average daily gains may result. If feed refusals containing monensin are fed to other groups of cattle, the concentration of monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing. A withdrawal time has not been established for pre-ruminating calves. Do not use in calves to be processed for veal.

MANUFACTURED BY:
COLORADO MILLS, LLC
Lamar, CO
81052

NET WT 50 LB / 22.68 kg or / see Scale Ticket

N
O
W

W
i
t
h

B
i
O
M
O
S
!